RECEIVED
CENTRAL FAX CENTER
SEP 1 4 2006

IN THE CLAIMS

A complete listing of the pending claims follows:

Claims 1 - 108. (cancelled)

109. (previously presented) An in-process ratio mass spectrometry system, comprising:

a sample extraction module adapted to extract a predetermined volume of sample from a process bath;

a spike reservoir;

a spike dilution apparatus coupled to the spike reservoir and configurable to dilute a spike from the spike reservoir having a first concentration to produce a known volume of processed spike having a diluted second concentration;

a mixer coupled to the spike dilution apparatus and the sample extraction module, the mixer being configurable to mix the known volume of processed spike and known volume of extracted sample having at least one analyte to permit equilibration therebetween;

an atmospheric pressure ionizer (API) coupled to the mixer and configurable to ionize the equilibrated extracted sample and processed spike to produce ions;

a mass spectrometer coupled to the API and configurable to process the ions by ratio determination; and

a control system adapted to automatically configure the sample extraction module, the spike dilution apparatus, the mixer, the API, and the mass spectrometer such that the sample is automatically extracted, mixed with the processed spike, ionized,

Law offices of MacPherson, Ewok Chen A held LLP

2402 MICHELSON THUVE SUITE 210 IRVINIS: CA 92517 (249) 752-7640 PAX (949) 752-7619

Page 2 of 5

Appl. No. 10/086,025

and processed by the mass spectrometer, the control system being further configured to use the ratio measured by the mass spectrometer to characterize the concentration of the at least one analyte in the extracted sample.

110. (cancelled)

111. (previously presented) The system of claim 109, wherein the at least one process solution comprises a plurality of process solutions, the sample extraction apparatus being further configured to extract the sample from a process solution selected from the plurality of process solutions as controlled by the control system.

112. (cancelled)

113. (previously presented) The system of claim 109, wherein the spike dilution apparatus includes a plurality of dilution sub-modules arranged from first dilution submodule to a last dilution sub-module, wherein each dilution sub-module is configurable to achieve a dilution selected from a range of possible dilutions, wherein the first dilution sub-module is configurable to dilute the spike having the first concentration to a first diluted concentration, the second dilution sub-module is configurable to dilute the spike at the first diluted concentration to a second diluted concentration, and so on such that the last dilution sub-module is configurable to provide the spike diluted to a last diluted concentration, and wherein the control system is operable to configure the appropriate

LAW OFFICER OF MacPherson, Kwok Cher & fight lat

2403 MICHELSON DRIVE COLLE 310 IRVINE, CA 92612 (945) 752-7040 FAX (949) 732-7049

Appl. No. 10/086,025

combination of dilution sub-modules to produce the known volume of processed spike
having the second concentration.
114. (cancelled).
115. (cancelled)
116. (cancelled)
117. (cancelled)
118. (cancelled)
Claims 119 – 124. (cancelled).

Machierson, kwox chen Machierson, kwox chen

2402 MICHELSON DRIVB SUTTB 210 IRVINE, CA 93612 (349) 732-7040 FAX (949) 752-7049

Page 4 of 5

Appl. No. 10/086,025